Data sheet


valid from: 8/29/26



1



2



PROGEF Standard bend 90° S8.3/SDR17.6

Model:

- Material: PP-H
- Conventional butt-welding according to DVS 2207
- IR = Infrared welding compatible

* Material:PP-R

	d (mm)	PN (bar)	FM	Type	Code	Weight (kg)	L (mm)	L1 (mm)	R (mm)	e (mm)
	50	6	IR	1	**727 018 635**	0.050	58	21	37.00	3.0
	63	6	IR	1	**727 018 636**	0.081	66	21	45.00	3.8
	75	6	IR	2	**727 018 412**	0.128	75	21	71.25	4.8
	90	6	IR	2	**727 018 413**	0.222	90	22	85.50	5.7
	110	6	IR	2	**727 018 414**	0.396	110	25	104.50	6.9
	125	6	IR	2	**727 018 215**	0.625	145	34	126.00	7.1
	140	6	IR	2	**727 018 216**	0.880	162	38	142.00	8.0
	160	6	IR	2	**727 018 217**	1.273	183	40	162.00	9.1
	180	6	IR	2	**727 018 218**	1.720	200	38	182.00	10.2
	200	6	IR	2	**727 018 219**	2.329	220	40	202.00	11.4
	225	6	IR	2	**727 018 220**	3.270	245	41	227.00	12.8
	250	6	IR	2	**727 018 221**	4.629	280	51	252.00	14.2
	280	6	IR	2	**727 018 222**	6.410	310	52	282.00	15.9
	315	6	IR	2	**727 018 223**	9.173	350	61	318.00	17.9
*	355	6		2	**727 018 424**	11.640	345	70	330.00	21.2
*	400	6		2	**727 018 425**	15.200	365	70	350.00	23.9
*	450	6		2	**727 018 426**	22.240	425	70	400.00	26.9
*	500	6		2	**727 018 427**	31.020	470	90	445.00	29.8

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland Phone +41 -(0)52-631 1111 e-mail: info.ps@georgfischer.com Internet: http://www.gfps.com